

### Sabroe HPC 106 S

## **Specifications**

| Brand   | Sabroe          |
|---|-----------------|
| Туре  | HPC 106 S       |
| Refrigerant                                     | Freon           |
| kW at $+10^{\circ}\text{C}/+40^{\circ}\text{C}$ | 551,2           |
| kW at 0°C/+40°C                                 | 374,3           |
| kW at -5°C/+40°C                                | 303,7           |
| kW at -10°C/+40°C                               | 242,8           |
| kW at -20°C/+40°C                               | 149,6           |
| kW at -30°C/+40°C                               | 84,1            |
| m3 / h  | 339,0           |
| Remarks   | Y.o.b. 2004     |
| Sizes   | 1000x900x880 mm |
|   | (LxWxH)         |
| Stock   | 4               |



### **Description**

#### **Used Sabroe HPC 106 S**

Used Sabroe HPC 106 S single-stage reciprocating compressor on Freon with a Unisab 2 control panel. This compressor is also available with a electromotor. Capacity based on the Freon type: R410A.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.



















# Your partner for used commercial and industrial refrigeration equipment





