

Bitzer 44H-30.2Y-40P / 4H-15.2Y-40P (x2)

Specifications

Brand	Bitzer
Type	44H-30.2Y-40P / 4H-15.2Y-40P (x2)
Refrigerant	Freon
kW at -5°C/+40°C	99,5
kW at -10°C/+40°C	82,2
kW at -20°C/+40°C	54,1
kW at -30°C/+40°C	33,4
kW at -40°C/+40°C	18,4
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	147,2 m ³ /h
Weight in kg.	412 kg
Sizes	1760x760x870 mm (LxWxH)
Stock	1



Description

Used Bitzer 44H-30.2Y-40P / 4H-15.2Y-40P (x2)

Used Bitzer 44H-30.2Y-40P tandem compressor unit (2x 4H-15.2Y-40P). Complete with oil separator, pressure safety switches Hp/Lp/Op, sight glasse and solenoid valve. Capacity based on the use of Freon type: R404A.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.



