

Grasso RC 4212E

Specifications

Brand	Grasso
Type	RC 4212E
Refrigerant	NH 3 (ammonia)
kW at -30°C/+40°C	126,6*
Electromotor Specs	50/60 Hz - 75/86 kW - 1470/1770 RPM
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	796
Remarks	Y.o.b. 2001
Remarks	*Capacity based on -32°C/+41°C
Sizes	2200x1650x2100 mm (LxWxH)
Stock	2



Description

Used Grasso RC 4212E

Used Grasso RC 4212E two-stage reciprocating compressor on NH3. Complete with a Schorch KN7250S-BB01B-401 elektromotor: 50 Hz - 75 kW at 1470 RPM, OC-80 and OC-50 oil separators, pressure and safety switches/gauges and a sight glass.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.







