

Thermofin TGN.2-080-12-F-N-DE-07

Specifications

| | |
|-------------------|------------------------------|
| Brand | Thermofin |
| Type | TGN.2-080-12-F-N-DE-07 |
| kW | 69,0 |
| Refrigerant | Glycol |
| Number of Fans | 2 |
| Fin Space in mm | 7 |
| Defrosting | None |
| m ³ /h | 25.160 |
| Sizes | 3850x1300x1650 mm (LxWxH) |
| Volume | 108 dm ³ |
| Stock | 1 |



Description

Used Thermofin TGN.2-080-12-F-N-DE-07

Used Thermofin TGN.2-080-12-F-N-DE-07 evaporator on Glycol build in 2018. Complete with 2 Ziehl-Abegg fans - 50 Hz - 1,95 kW - 950 RPM - diameter of 800 mm and a total airflow of 25.160 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



| | | | |
|--|--|---|--|
| thermofin GmbH Am Windrad 1 D - 08468 Heinsdorfergrund | | CE thermofin heat exchangers - GERMANY | |
| Bezeichnung / model / modèle: TGN.2-080-12-F-N-DE-07 | | | |
| Artikel-Nr / article-n° / no. d'article: HY1 011 022 | | | |
| Projekt-Nr / project-n° / no. de projet: 50010928 - 090 | | Geräte-Nr / unit-n° / no. d'appareil: 003 | |
| Fertigungsjahr / prod. year / année de fabr.: 02/2018 | | Betriebsdruck max / working pressure / pression max: PS 10 bar | |
| Rohrvolumen / tube volume / volume tubul.: ca. 121,0 L | | Mediumtemp. / medium temp. / plage de temp. d'utils. du fluide: TS -20/+60 °C | |
| Leergewicht / empty weight / poids: ca. 700,0 kg | | Ventilatortemp. / fan temp. / plage de temp. d'utils. des vent.: -35/+60 °C | |
| Prüfdruck / test pressure / pression d'épreuve: PT 11 bar | | Prüfmedium / test medium / fluide d'épreuve: Luft / air | |
| el. Anschlusswerte / connected load / données électriques | | | |
| Ventilator(en) / fan(s) / ventilateur(s): 400 V | | el. Heizung / el. defrost / dégivrage el.: V | |
| Δ / Y: 3,9 kW | | kW | |



