

# Mycom F6WB

## Specifications

|                          |                              |
|--------------------------|------------------------------|
| Brand                    | Mycom                        |
| Type                     | F6WB                         |
| Refrigerant              | NH 3 (ammonia)               |
| kW at 0°C/+40°C          | 398,8                        |
| kW at -5°C/+40°C         | 320,4                        |
| kW at -10°C/+40°C        | 253,0                        |
| kW at -20°C/+40°C        | 147,7                        |
| Electromotor Specs       | 50 Hz - 90 kW - 975 RPM      |
| On steel base frame      | ✓                            |
| Pressure safety switches | ✓                            |
| Hp/Lp/Op                 |                              |
| Pressure gauges          | ✓                            |
| Hp/Lp/Op                 |                              |
| Sight Glass              | ✓                            |
| m3 / h                   | 573,0                        |
| Remarks                  | Y.o.b. 2013                  |
| Sizes                    | 2600x1150x1500 mm<br>(LxWxH) |
| Stock                    | 1                            |



## Description

### Used Mycom F6WB

Used Mycom F6WBHE-BB on NH3 build in 2013. Complete with a Mycom F6WBHE-BB open-drive reciprocating compressor, Leroy Somer P 280 MGC elektromotor: 50 Hz - 90 kW - 975 RPM, pressure and safety gauges/switches and a sight glass.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also arrange the logistics.





