

Bitzer 4N.2 Condensing unit

Specifications

Brand	Bitzer
Туре	4N.2 Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	47,9
kW at -5°C/+40°C	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
kW at -45°C/+40°C	5,2
On steel base frame	✓
Pressure safety switches	/
Hp/Lp/Op	
Liquid receiver	/
Liquid receiver ltr.	55
m3 / h	56,1
Condensing Unit	/
Sizes	1940x750x1870 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4N.2 Condensing unit

Used Bitzer 4N.2 Freon condensing unit. Complete with 1 Bitzer 4N.2 open-type reciprocating compressor, AEG AM 160 E04 electromotor: 50 Hz - 15 kW - 1460 RPM, condenser with 6 fans, Stahlbau Hopfgarten ZHP 55 liquid receiver with a volume of 55 liter, liquid line filter drier and pressure and safety switches.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment



























Your partner for used commercial and industrial refrigeration equipment





HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237