

Bock HGX5/725-4 S (x1) & HGX6/1410-4 S (x2)

Specifications

Brand	Bock
Type	HGX5/725-4 S (x1) & HGX6/1410-4 S (x2)
Refrigerant	Freon
kW at 0°C/+40°C	329,1
kW at -5°C/+40°C	271,5
kW at -10°C/+40°C	221,6
kW at -20°C/+40°C	144,3
kW at -30°C/+40°C	87,0
kW at -40°C/+40°C	46,3
kW at -45°C/+40°C	30,9
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	40
Oil separator	✓
Oil level system AC&R	✓
m3 / h	415,3
Package / Rack	✓



(LxWxH)

Stack

4400x1050x2400 mm

Description

Used Bock HGX5/725-4 S (x1) & HGX6/1410-4 S (x2)

Used Bock semi-hermetic reciprocating compressor rack on Freon. Complete with 1 Bock HGX5/725-4 S & 2 HGX6/1410-4 S & compressors with capacity control and unloaded start, Euro-cold bv SHO 250 oil separator, Frigomec FS 40 liquid receiver and pressure and safety switches/gauges. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.





