

Bitzer OSN 7461-K (x2)

Specifications

Brand	Bitzer
Туре	OSN 7461-K (x2)
Refrigerant	Freon
kW at -20ºC/+40ºC	178,7
kW at -30ºC/+40ºC	110,8
kW at -40ºC/+40ºC	64,1
kW at -45ºC/+40ºC	47,0
Unloaded Start	1
Capacity Control	✓
On steel base frame	✓
Oil separator	1
Solenoid Valve	1
m3 / h	220 - 606
Remarks	Y.o.b. 2012
Remarks	Please note: we will only
	offer this as complete
	blastfreezing solution
	with capacity matching
	condensor and
	evaporators.
Package / Rack	1
Sizes	1930x1100x1780 mm
	(LxWxH)
Stock	1



Description

Used Bitzer OSN 7461-K (x2)

Used Bitzer OSN 7461-K compressor rack on Freon. Complete with 2 Bitzer OSN 4761-K open screw compressors, 1 MEZ Frenštát F225M02 - 50 Hz - 45 kW - 2960 RPM electromotor, 1 VEB KMER 225 M2 - 50 Hz - 45 kW - 2950 RPM electromotor, Bitzer OA 4588 oil separator, Bitzer OW501B oil cooler. The compressors have a total displacement of 606 m³/h.

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an



extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.











































BITZER KÜHLMASCHINENBAU GMBH Made in E.C.	
Kältemittel Kühlmedium	
Typ OW501B PED Fluid Gruppe 2	
SNr 1172502379 Volumen V 14 L 2,6 L	
Min/Max Temp. TS -10°/120°C -10°/95 °C	
Baujahr 2007 Max.zuläss.Druck PS 28 bar 10 bar	
ST804206 C €0036	

