

Grasso V-3

Specifications

Brand	Grasso
Туре	V-3
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	1690,0*
kW at -30°C/+40°C	443,0**
Electromotor Specs	50 Hz - 280 kW - 2970
	RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	/
Hp/Lp/Op	
Oil separator	/
Control panel	/
m3 / h	1740
Remarks	Y.o.b. 2001
Remarks	*Capacity based at
	-35ºC/+35ºC
Remarks	**Capacity based at
	0ºC/+35ºC
Sizes	4340x1720x2450 mm
	(LxWxH)
Stock	1



Description

Used Grasso V-3

Used Grasso V-3 screw compressor unit on NH3. Complete with 1 Grasso V-3 screw compressor, Unelec AP3 315 MC electromotor: 50 Hz - 280 kW - 2970 RPM, Matal oil separator with a volume of 965 dm³, oil cooler, pump with a Birkenbeul electromotor: 50 Hz - 3,0 kW - 1430 RPM and a Matal display. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



Your partner for used commercial and industrial refrigeration equipment










































Your partner for used commercial and industrial refrigeration equipment



HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237