

Bitzer 4G-20.2Y-40P

Specifications

Brand	Bitzer
Туре	4G-20.2Y-40P
Refrigerant	Freon
kW at -5ºC/+40ºC	57,2
kW at -10°C/+40°C	47,3
kW at -20°C/+40°C	31,2
kW at -30°C/+40°C	19,2
kW at -40°C/+40°C	10,5
kW at -45°C/+40°C	7,2
Capacity Control	/
Pressure safety switches	/
Hp/Lp/Op	
Oil level system AC&R	/
m3 / h	84,6
Remarks	Y.o.b. 2008
Weight in kg.	Compressor: 192 kg.
Sizes	Compressor:
	870x1000x700 mm
	(LxWxH)
	Control cabinet:
	600x600x250 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4G-20.2Y-40P

Used Bitzer 4G-20.2Y-40P semihermetic reciprocating compressor on Freon. Complete with a pressur and safety switch, oil level system AC&R and a control cabinet with a Danfoss ADAP-KOOL AK-CC 550. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics



Your partner for used commercial and industrial refrigeration equipment













Your partner for used commercial and industrial refrigeration equipment









Your partner for used commercial and industrial refrigeration equipment



HOS BV www.hosbv.com info@hosbv.com