

Bitzer 4VCS-10.2Y-40P

Specifications

Brand	Bitzer
Туре	4VCS-10.2Y-40P
Refrigerant	Freon
kW at 0ºC/+40ºC	27,6
kW at -5ºC/+40ºC	22,8
kW at -10ºC/+40ºC	18,7
kW at -20ºC/+40ºC	11,9
kW at -30ºC/+40ºC	7,0
kW at -40ºC/+40ºC	3,4
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Liquid receiver	1
Liquid receiver ltr.	30
Liquid line filter drier	/
Sight Glass	1
m3 / h	34,7
Remarks	Y.o.b. 2005
Weight in kg.	139
Sizes	1040x550x1120 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4VCS-10.2Y-40P

Used Bitzer 4VCS-10.2Y-40P semihermetic reciprocating compressor on Freon. Complete with a BitzeR F302H liquid receiver, pressure and safety switches, liquid line filter drier and a control cabinet with a Elliwell ID974. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.

















<	Bilze				CS-10.2 8901488	
TZER KÜHLI	MASCI Nade in		J GMBH			
ennspannung / 3Ph~	Frequ. Hz	Betr.strom A (max.)	Anlaufstron A (Y)	m A (YY)	Fördervol. m ³ /h	Drehzahl min 1
380-420	50	21,0	59	99	34,7	1450
460	60	21,0	59	99	41,9	1750
IP 65 ND/HD	max. 1	9 / 28 ba	r		124	(6

















