

DWM DLSGP-40X-EWL (x2) & D4DA5-200X-AWM/D (x2) & D3DS5-150X-AWM/D (x1)

Specifications

Brand	DWM
Type	DLSGP-40X-EWL (x2) & D4DA5-200X-AWM/D (x2) & D3DS5-150X-AWM/D (x1)
Refrigerant	Freon
kW at -30°C/+40°C	78,1*
kW at -40°C/+40°C	46,9*
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Remarks	Y.o.b. 2012
Remarks	*Capacity based on all the compressors together.
Package / Rack	✓
Sizes	2820x1260x2250 mm (LxWxH)



Stock

1

Description

Used DWM DLSGP-40X-EWL (x2) & D4DA5-200X-AWM/D (x2) & D3DS5-150X-AWM/D (x1)

Used DWM Copeland rack for low and medium temperature application. Complete with 5 DWM Copeland compressoren: DLSGP-40X-EWL (x2), D4DA5-200X-AWM/D (x2), D3DS5-150X-AWM/D (x1). Furthermore the unit contains a suction accumulator, liquid line filter dryer, oil separator, AC&R oil level regulator for every compressor, AC&R S-9109-CE oil reservoir, Danfoss ADAP KOOL frequency converter and a Danfoss ADAP-KOOL Gateway AKA 245. Capacity based on all the compressors together.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.















