

Daikin JEHSCU0800CM3 Condensing unit

Specifications

Brand	Daikin
Type	JEHSCU0800CM3 Condensing unit
Refrigerant	Freon
kW at -10°C/+40°C	13,0
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	13,6
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	22,1
Remarks	Y.o.b. 2017
Weight in kg.	218
Condensing Unit	✓
Sizes	1350x380x1760 mm (LxWxH)
Stock	1






Description

Used Daikin JEHSCU0800CM3 Condensing unit



Used Daikin JEHSCU0800CM3 air cooled condensing unit on Freon. Complete with a Copeland Scroll ZB58KCE-TFD-551 hermetic scroll compressor, condensor with two ebm-papst A6E500-AJ05-04 axial fans - 50 Hz - 865 RPM - 0,22 kW - diameter 500mm, liquid receiver, liquid line filter dryer and pressure switches. The compressor has a displacement of 22,1 m³/h. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.



J&E Hall International <small>for DAIKIN</small>		Daikin Refrigeration Malaysia Sdn.Bhd. Lot 10, Jalan Perusahaan 8, Kawasan Perusahaan Pekan Banting, 42700 Banting, Selangor, Malaysia.
Model	JEHSCU0800CM3	
Serial Number	N000112	
Yr/Mth of Manufacture	2017 / 05	
Power Supply	380-415 V / 3 Ph / 50 Hz	
Rated Current (R404A)	13.0 A	
Refrigerant	R404A/R407A/R407F/R134a	
Protection	IPX4	
Max Operating Current	17.0 A	
Unit Type	Refrigeration condensing unit	
Maximum Allowable Pressure, bar (MPa) :		HP 28 (2.8) LP 19 (1.9)
 Its functioning relies on fluorinated greenhouse gases		 
Made in Malaysia		2561











Your partner for used commercial and
industrial refrigeration equipment

