

## Bitzer W6FA

### Specifications

|                       |                          |
|-----------------------|--------------------------|
| Brand                 | Bitzer                   |
| Type                  | W6FA                     |
| Refrigerant           | Freon                    |
| kW at +10°C/+40°C     | 195,9                    |
| kW at 0°C/+40°C       | 127,5                    |
| kW at -5°C/+40°C      | 99,3                     |
| kW at -10°C/+40°C     | 74,4                     |
| Electromotor Specs    | 50 Hz - 37 kW - 1480 RPM |
| On steel base frame   | ✓                        |
| Oil separator         | ✓                        |
| Oil level system AC&R | ✓                        |
| m3 / h                | 183,0                    |
| Remarks               | Y.o.b. 2018              |
| Sizes                 | 1600x600x900 mm (LxWxH)  |
| Stock                 | 1                        |



### Description

#### Used Bitzer W6FA

Used Bitzer W6FA open-type reciprocating compressor on R717 (NH3/Ammonia) with head cooling build in 2018. Complete with a EE AG Hinwil NCH225S-4 B35 electric motor: 50 Hz - 37 kW - 1480 RPM and a oil separator. The compressor has a displacement of 183,0 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.



