

Sabroe SMC 108 L HP

Specifications

Brand	Sabroe
Туре	SMC 108 L HP
Refrigerant	NH 3 (ammonia)
kW at +10ºC/+40ºC	722,4
kW at 0ºC/+40ºC	477,8
Electromotor Specs	50 Hz - 110 kW - 1475 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	1
Pressure gauges	1
Hp/Lp/Op	
Oil separator	1
Sight Glass	1
Solenoid Valve	1
m3 / h	551
Sizes	2300x1100x1700 mm
	(LxWxH)
Stock	2



Description

Used Sabroe SMC 108 L HP

Used Sabroe SMC 108 L HP reciprocating compressor on NH3 (R717). Complete with a Schorch KN7280S-BB014-152 - 50 Hz - 110 kW -1475 RPM, Sabroe OVUR 3206 D oil separator, pressure and safety switches and a Unisab 2 display. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleansing. If reequested we can arrange the logistics.

www.hosbv.com



























SCHORCH	
Typ KN7280S-BB014-152 1992 Nr.9120199/4	
3∼ MOT. IP23 IEC 280S IMB3	
S1 210/121 A	
cosφ=0,86 110,0 kW	
I.CL. F 380/660 V Δ/Υ	
50 Hz 1475/min	
je Lager nach 1500h/30g Fett	
DIN 51825-K3K Li-	
Seife/Mineralöl	
440 V △/ 60 Hz /125 kW /210 A	
DIN VDE 0530 Teil 1/07.91 cosq=0,86 / 1775/min	
MADE IN GERMANY.	



