

# Sabroe SAB 128 HM MK4

## Specifications

Brand	Sabroe
Type	SAB 128 HM MK4
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	416,8*
kW at 0°C/+40°C	300,3*
kW at -5°C/+40°C	251,5*
kW at -10°C/+40°C	208,5*
kW at -20°C/+40°C	138,5*
kW at -30°C/+40°C	86,8*
kW at -40°C/+40°C	50,1*
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Oil separator	✓
Solenoid Valve	✓
Control panel	✓
m <sup>3</sup> / h	303 / 365
Remarks	Y.o.b. 2003
Remarks	*Capacity based on a bigger electric motor
Sizes	2200x1200x1600 mm (LxWxH)
Stock	1



## Description

### Used Sabroe SAB 128 HM MK4

Used Sabroe SAB 128 HM screw compressor on NH3. Complete with a Leroy-Somer PLS180M-T electric motor - 50 Hz - 30 kW - 2935 RPM, Sabroe OHU 4119 D oil separator with a volume of 270 liter, oil pump and a Unisab 2 display. The compressor has a displacement of 303 m<sup>3</sup>/h at 2950 RPM and 365 m<sup>3</sup>/h at 3550 RPM. \*Capacity based at a bigger electric motor.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your shipment.







