

## Bitzer 6F-2Y (x4)

### Specifications

Brand	Bitzer
Type	6F-2Y (x4)
Refrigerant	Freon
kW at 0°C/+40°C	509,4
kW at -5°C/+40°C	423,0
kW at -10°C/+40°C	347,9
kW at -20°C/+40°C	226,7
kW at -30°C/+40°C	137,6
kW at -40°C/+40°C	74,0
kW at -45°C/+40°C	49,9
Electromotor Specs	50 Hz - 37 kW - 1470 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Control panel	✓
m3 / h	732,0



	1686201832: 2014
Rackage / Rack	Y.o.b. 2013 & SN:
Sizes	3800x2100x2200 mm (LxWxH)
Stock	1

## Description

### Used Bitzer 6F-2Y (x4)

Used Bitzer 6F-2Y (x4) open-type reciprocating compressor rack on Freon. Complete with 4 Rotor XKC225S04 515 electric motors - 50 Hz - 37 kW - 1470 RPM, Frigo Mec FAS 119.50(0D133/0D133) suction accumulator, Frigo Mec SO-273-ODS 80/0D 88.9 oil separator, oil receiver, pressure and safety switches/gauges and a control panel. The compressors together have a total displacement of 732 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.











