

DWM DLLP-40X-EWL (x1) & D3DC5-75X-AWM/D (x1)

Specifications

Brand	DWM
Type	DLLP-40X-EWL (x1) & D3DC5-75X-AWM/D (x1)
Refrigerant	Freon
kW at -20°C/+40°C	32,9
kW at -30°C/+40°C	19,5
kW at -40°C/+40°C	10,2
kW at -45°C/+40°C	6,7
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	56,2
Package / Rack	✓
Sizes	2650x1100x1950 mm (LxWxH)
Stock	1



Description

Used DWM DLLP-40X-EWL (x1) & D3DC5-75X-AWM/D (x1)

Used DWM DLLP-40X-EWL (x1) & D3DC5-75X-AWM/D semi-hermetic piston compressor on Freon. Complete with liquid receivers, oil separators, Alfa Laval CB26-34H braced heat exchanger for heat recovery, pressure and safety switches/gauges. The DWM DLLP-40X-EWL (x3) have their own system and the DWM D3DC5-75X-AWM/D (x1) too. Capacities are based on all compressors on 1 system.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also,



Your partner for used commercial and
industrial refrigeration equipment

we can arrange your shipment.







