

Sabroe SAB 128 ML2 MK2

Specifications

| | |
|--------------------------|---------------------------|
| Brand | Sabroe |
| Type | SAB 128 ML2 MK2 |
| Refrigerant | Freon |
| Electromotor Specs | 50 Hz - 110 kW - 2968 RPM |
| Unloaded Start | ✓ |
| Capacity Control | ✓ |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Oil separator | ✓ |
| Solenoid Valve | ✓ |
| Control panel | ✓ |
| m3 / h | 548 |
| Remarks | Y.o.b. 2005 |
| Sizes | 3150x1700x2000 mm (LxWxH) |
| Stock | 1 |



Description

Used Sabroe SAB 128 ML2 MK2

Used Sabroe SAB 128 ML2 reciprocating compressor on Freon. Complete with a Leroy-Somer PLSES250MF electric motor - 50 Hz - 110 kW - 2968 RPM, Sabroe OVUX 6015 oil separator, Sabroe OOSI 21142 A oil cooler, Sabroe OLIEF.HUS oil filter, pressure and safety switches/gauges and a Sabroe Unisab 3 control panel. The compressor has a displacement of 548 m³/h at 3550 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





