

Howden MK4AS/XRV204145MVI

Specifications

Brand	Howden
Type	MK4AS/XRV204145MVI
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	806,1
kW at -5°C/+40°C	643,7
kW at -10°C/+40°C	505,6
kW at -20°C/+40°C	295,4
kW at -30°C/+40°C	148,8
Electromotor Specs	50/60 Hz - 200/230 kW - 2975/3575 RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Oil separator	✓
m ³ / h	1070
Remarks	*Capacity based on the following temperatures: (-10°C/+35°C)
Remarks	**Capacity based on the following temperatures: (-35°C/+35°C)
Weight in kg.	+3300 kg
Sizes	2930x1250x2250 mm (LxWxH)
Stock	2



Description

Used Howden MK4AS/XRV204145MVI

Used Howden MK4AS/XRV204145MVI open-type screw compressor set on R717 (NH3). Complete with a Schorch KN7315M-AB01B-401 electric motor - 50/60 Hz - 200/230 kW - 2975/3575 RPM, Samifi Babcock SHH 600 oil separator, HS-Cooler KS12-AEH-122 oil cooler, Samifi Babcock FI150 104 oil filter, pressure and safety switches and condensing pressure switch. The compressor has a displacement of 1070 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and



arrange the logistics.







