

## Bitzer 4G-30.2Y-40P (x2)

### Specifications

Brand	Bitzer
Type	4G-30.2Y-40P (x2)
Refrigerant	Freon
kW at 0°C/+40°C	137,1
kW at -5°C/+40°C	114,0
kW at -10°C/+40°C	93,9
kW at -20°C/+40°C	61,4
kW at -30°C/+40°C	37,2
kW at -40°C/+40°C	19,7
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Oil separator	✓
Oil level system AC&R	✓
m <sup>3</sup> / h	169,2
Remarks	SN: 1678107948 - Y.o.b. 2010
Remarks	SN: 1674509448 - Y.o.b. 2008
Package / Rack	✓
Sizes	2000x1550x1750 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 4G-30.2Y-40P (x2)

Used Bitzer 4G-30.2Y-40P (x2) semi-hermetic reciprocating Freon compressors on a steel base frame. Complete with a oil separator and oil reservoir, liquid line filter drier and a AC&R oil level regulator. The compressors have a total displacement of 169,2 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your shipment.





