

Carlyle / Carrier 38 RA 080

Specifications

Brand	Carlyle / Carrier
Туре	38 RA 080
Refrigerant	Freon
kW at +10ºC/+40ºC	106,0
kW at 0ºC/+40ºC	72,3
kW at -5ºC/+40ºC	58,7
kW at -10ºC/+40ºC	47,0
kW at -20ºC/+40ºC	28,6
On steel base frame	1
Pressure safety switches	1
Hp/Lp/Op	
Sight Glass	1
Control panel	✓
m3 / h	87,0
Remarks	Y.o.b. 2004
Weight in kg.	625 kg
Condensing Unit	1
Sizes	2100x1100x1400 mm
	(LxWxH)
Stock	3



Description

Used Carlyle / Carrier 38 RA 080


Used Carrier 38 RA 080 condensing unit on R407C. Complete with 2 Performer SZ185S4CC scroll compressors and a condensor with a Carrier CM29/T fan - 50 Hz - 1,8/0,25 kW - 945/470 RPM and a total airflow of 5.600 m³/h. The compressors have a total displacement of 87 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment







Carrier	1 1 1 1	3~ CN N°P21185 0 °C amb		2004	UF/V
K kg	1.1		:/h Cd :		µF/ V
V	Hz	min-1	kW	Cos q	A
400	50	945	1,8	0,65	5,5
400	50	470	0,25	0,4	2,1
12/27	1	1	1	1000	· has
DK12ABO	ł	10			



Your partner for used commercial and industrial refrigeration equipment

