

# Prestcold PL20X/0036P-42T Condensing unit

## Specifications

|                          |                                    |
|--------------------------|------------------------------------|
| Brand                    | Prestcold                          |
| Type                     | PL20X/0036P-42T<br>Condensing unit |
| Refrigerant              | Freon                              |
| kW at -20°C/+40°C        | 3,6                                |
| kW at -30°C/+40°C        | 1,8                                |
| kW at -40°C/+40°C        | 0,6                                |
| On steel base frame      | ✓                                  |
| Liquid receiver          | ✓                                  |
| Liquid line filter drier | ✓                                  |
| Sight Glass              | ✓                                  |
| m3 / h                   | 12,9                               |
| Remarks                  | Y.o.b. 2000                        |
| Condensing Unit          | ✓                                  |
| Sizes                    | 780x670x560 mm<br>(LxWxH)          |
| Stock                    | 1                                  |



## Description

### Used Prestcold PL20X/0036P-42T Condensing unit

Used condensing unit on Freon. Complete with Prestcold PL20X/0036P-42T semi-hermetic reciprocating compressor, sight glass, liquid receiver, condensor with a SMEN 19GFB4043 fan - 50/60 Hz - 0,14/0,22 kW - 1410/1670 RPM. The compressor has a displacement of 12,9 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





