

Your partner for used commercial and industrial refrigeration equipment

Mycom N8WA

Specifications

Brand	Mycom
Туре	N8WA
Refrigerant	NH 3 (ammonia)
kW at 0ºC/+40ºC	215,8
kW at -5ºC/+40ºC	173,4
kW at -10ºC/+40ºC	136,9
kW at -20ºC/+40ºC	79,7
Electromotor Specs	50/60 Hz - 45/52 kW -
	1475/1775 RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	1
Hp/Lp/Op	
Sight Glass	1
Solenoid Valve	1
Sizes	2300x1100x1380 mm
	(LxWxH)
Stock	1



Description

Used Mycom N8WA

Used Mycom N8WA reciprocating compressor on NH3 (R717). Complete with a 2EC 2EC-0DP200L-4 electric motor - 50 Hz - 45 kW - 1475 RPM. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

www.hosbv.com



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment



				and the second se						
2EC E.ELECTRIC MOTOR IE3 SO9001 BELGIUM IEC/EN60034-1										
	3~Mot. 2EC-0D	P200L-4	SN: S	0201405001401	IP	23	IM	B3		
-	Hz/V	50 Hz	the second se		60	60 Hz		460(D) V		
	kW/A	45 kW			52 kW		81 A			
	Cos φ/RPM:	0.86	RPM:	1475	/ 0.86		RPM: 1775			
	EFF.(100/75/50%):	94.2/	/94/93 (IE3)		S1/TH.CL155(F)		DATE: 14.12			
1	BEARINGS DE:	6313C3	NDE:	6313C3	WEIG	HT	332	KG	-	
C					appene .	Sugar Se	and the patient		U	
					7	17				

