

DWM D3DA5-50X-AWM/D (x1) & D3DC5-75X-AWM/D (x2)

Specifications

Brand	DWM
Туре	D3DA5-50X-AWM/D (x1)
	& D3DC5-75X-AWM/D
	(x2)
Refrigerant	Freon
kW at -5ºC/+40ºC	70,6
kW at -10ºC/+40ºC	57,6
kW at -20ºC/+40ºC	36,9
kW at -30ºC/+40ºC	22,2
kW at -40ºC/+40ºC	11,8
kW at -45ºC/+40ºC	7,7
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure	✓
switches	
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
m3 / h	108,2
Remarks	Y.o.b. 2008
Package / Rack	✓
Sizes	Cabinet:
	1880x1300x2250 mm
	(LxWxH)





Your partner for used commercial and industrial refrigeration equipment

Stock

1

Description

Used DWM D3DA5-50X-AWM/D (x1) & D3DC5-75X-AWM/D (x2)

Used DWM D3DA5-50X-AWM/D (x1) & D3DC5-75X-AWM/D (x2) semi-hermetic reciprocating compressor rack on Freon. Complete with AC&R S-9109-CE oil reservoir, pressure and safety switches and condensing pressure switches. The compressors have a total displacement of 108,2 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment





