

Bitzer 4FC-5.2Y-40S Condensing unit

Specifications

Brand	Bitzer
Type	4FC-5.2Y-40S Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	14,0
kW at -5°C/+40°C	11,6
kW at -10°C/+40°C	9,6
kW at -20°C/+40°C	6,2
kW at -30°C/+40°C	3,8
kW at -40°C/+40°C	2,0
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	13
Sight Glass	✓
Solenoid Valve	✓
m3 / h	50 Hz - 18,1 m ³ /h / 60 Hz - 21,8 m ³ /h
Remarks	Y.o.b. 2006
Condensing Unit	✓
Sizes	1120x810x900 mm (LxWxH)
Stock	1



Description

Used Bitzer 4FC-5.2Y-40S Condensing unit

Used Bitzer LH84/4FC-5.2Y-40S condensing unit on Freon. Complete with 1 Bitzer FC-5.2Y-40S semi-hermetic reciprocating compressor, condenser with 1 Ziehl-Abegg FB045-VDK.4F-V4S fan - 50 Hz - 0,64/0,43 kW - 1330/970 RPM - diameter 450 mm and a Bitzer FS126 liquid receiver with a volume of 13 liters. The compressor has a displacement of 18,1 m³/h at 50 Hz and 21,8 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange



Your partner for used commercial and
industrial refrigeration equipment

the logistics.





