

DWM D2DB3-50X-AWM/D Condensing unit

Specifications

Brand	DWM
Type	D2DB3-50X-AWM/D
.,,,,	Condensing unit
Refrigerant	Freon
kW at -5°C/+40°C	18,5
kW at -10°C/+40°C	15,0
kW at -20°C/+40°C	9,4
kW at -30°C/+40°C	5,3
kW at -40°C/+40°C	2,6
kW at -45°C/+40°C	1,7
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Liquid receiver	/
Oil separator	/
Liquid line filter drier	/
Sight Glass	/
m3 / h	28,0
Remarks	Y.o.b. 2005
Condensing Unit	/
Sizes	760x990x660 mm
	(LxWxH)
Stock	1



Description

Used DWM D2DB3-50X-AWM/D Condensing unit

Used DWM D2DB3-50X-AWM/D semihermetic reciprocating condensing unit on Freon. Complete with a condenser with 2 Hidria 121 0311-4-0132 fans -50/60 Hz - 0.11/0.15 kW - 1360/1490 RPM - diameter 350 mm, Copeland liquid receiver with a volume of 11,5 liter, Henry S-5587-CE oil separator and a liquid line filter drier. The compressor has a displacement of 28 m³/h. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange

(+31) (0)23-5404237



Your partner for used commercial and industrial refrigeration equipment

the logistics.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237



Your partner for used commercial and industrial refrigeration equipment



























Your partner for used commercial and industrial refrigeration equipment



HOS BV www.hosbv.com info@hosbv.com