

Mycom FM160L-M

Specifications

Brand	Mycom
Type	FM160L-M
Refrigerant	Freon
kW at 0°C/+40°C	535,1
kW at -5°C/+40°C	447,3
kW at -10°C/+40°C	371,0
kW at -20°C/+40°C	247,9
kW at -30°C/+40°C	157,9
kW at -40°C/+40°C	93,8
kW at -45°C/+40°C	69,5
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Sizes	3400x1250x1900 mm (LxWxH)
Stock	1



Description

Used Mycom FM160L-M

Used Mycom FM160L-M screw compressor on Freon. Complete with a Leroy Somer PLS280MC-T electric motor - 50/60 Hz - 132/152 kW - 2945/3538 RPM, Mycom HS 6023 oil separator with a volume of 700 liter, Mycom OC-15245-M oil cooler, Mycom OFC50-FM oil filter and pressure and safety switches/gauges.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.





