

DWM D3DC5-75X-AWM/D (x2) & D3DC5-75XL-AWM/D (x1)

Specifications

Brand	DWM
Туре	D3DC5-75X-AWM/D (x2)
	& D3DC5-75XL-AWM/D
	(x1)
Refrigerant	Freon
kW at -5ºC/+40ºC	74,8
kW at -10ºC/+40ºC	61,0
kW at -20ºC/+40ºC	39,2
kW at -30ºC/+40ºC	23,7
kW at -40ºC/+40ºC	12,7
kW at -45ºC/+40ºC	8,5
On steel base frame	1
Pressure safety switches	1
Hp/Lp/Op	
Condensing pressure	✓
switches	
Oil separator	1
Oil level system AC&R	1
Sight Glass	1
Control panel	1
m3 / h	114,0
Package / Rack	✓
Sizes	Housing:
	2330x1300x2160 mm
	(LxWxH)





Stock

1

Description

Used DWM D3DC5-75X-AWM/D (x2) & D3DC5-75XL-AWM/D (x1)

Used DWM D3DC5-75X-AWM/D (x2) & D3DC5-75XL-AWM/D (x1) semihermetic reciprocating compressor rack on Freon. Complete with head cooling, oil separator, AC&R S-9109-CE oil reservoir, AC&R oil level system, pressure and safety switches and a control cabinet. The compressors have a total displacement of 114 m³/h.

This rack works together and is in the same housing as: 16602

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.















































