

DWM D4DJ5-300X-AWM/D (x1) D4DH5-250X-AWM/D (x2)

Specifications

Brand	DWM
Туре	D4DJ5-300X-AWM/D (x1)
	D4DH5-250X-AWM/D
	(x2)
Refrigerant	Freon
kW at 0°C/+40°C	189,1
kW at -5°C/+40°C	157,0
kW at -10°C/+40°C	129,1
kW at -20°C/+40°C	84,2
On steel base frame	/
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure	✓
switches	
Oil separator	/
Oil level system AC&R	/
Sight Glass	/
Control panel	/
m3 / h	226,4
Remarks	Y.o.b. 2006
Package / Rack	✓
Sizes	Housing:
	2330x1300x2160 mm
	(LxWxH)
Stock	1



Description

Used DWM D4DJ5-300X-AWM/D (x1) D4DH5-250X-AWM/D (x2)

Used DWM D4DJ5-300X-AWM/D (x1) & D4DH5-250X-AWM/D (x2) semi-hermetic reciprocating compressor rack on Freon. Complete with an oil separator, AC&R S-9109-CE oil reservoir, AC&R oil level system, pressure and safety switches and a control cabinet. The compressors have a total displacement of 226,4 m³/h.

This rack works together and is in the same housing as: 16568

*Why choose for HOSBV? We are not

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237



Your partner for used commercial and industrial refrigeration equipment

only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237



Your partner for used commercial and industrial refrigeration equipment



























Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment







