

DWM D4DJ5-300X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)

Specifications

Brand	DWM
Туре	D4DJ5-300X-AWM/D (x2)
	& D4DH5-250X-AWM/D
	(x1)
Refrigerant	Freon
kW at 0ºC/+40ºC	207,1
kW at -5ºC/+40ºC	172,0
kW at -10°C/+40°C	141,4
kW at -20°C/+40°C	92,1
kW at -30°C/+40°C	55,7
On steel base frame	✓
Oil separator	✓
Oil level system AC&R	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	240,1
Package / Rack	✓
Sizes	3150x1000x2000 mm
	(LxWxH)
Stock	1



Description

Used DWM D4DJ5-300X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)

Used DWM D4DJ5-300X-AWM/D (x2) & D4DH5-250X-AWM/D (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with an oil separator, oil reservoir, AC&R oil level system and a brazed heat exchanger. The compressors have a total displacement of 240,1 m³/h.

This unit is on a frame with: 16544

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we



Your partner for used commercial and industrial refrigeration equipment

deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237
































Your partner for used commercial and industrial refrigeration equipment







HOS BV www.hosbv.com info@hosbv.com