

Howden MK6/WRV204/11036/1418

Specifications

Brand	Howden
Туре	MK6/WRV204/11036/141
	8
Refrigerant	NH 3 (ammonia)
kW at 0ºC/+40ºC	593,0
kW at -5ºC/+40ºC	476,0
kW at -10ºC/+40ºC	374,0
kW at -20ºC/+40ºC	211,0
kW at -30ºC/+40ºC	94,7
Electromotor Specs	50 Hz - 160 kW - 2950
	RPM
On steel base frame	1
Oil separator	1
Liquid line filter drier	1
Solenoid Valve	1
Sizes	3900x1700x2600 mm
	(LxWxH)



Description

Used Howden MK6/WRV204/11036/1418

Used Howden MK6/WRV204/11036/1418 screw compressor unit on NH3 (Ammonia). Complete with a Leroy Somer P 315 S-2 electric motor - 50 Hz - 160 kW - 2950 RPM, oil separator, Hans Güntner 82/1437 oil cooler and liquid line filter driers.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.

HOS BV

www.hosbv.com



Your partner for used commercial and industrial refrigeration equipment

















Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment





