

DWM D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)

Specifications

Brand	DWM
Туре	D4DA5-200X-AWM/D
	(x2) & D4DH5-250X-
	AWM/D (x1)
Refrigerant	Freon
kW at 0°C/+40°C	157,2
kW at -5°C/+40°C	130,3
kW at -10°C/+40°C	106,8
kW at -20°C/+40°C	68,9
kW at -30°C/+40°C	41,0
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Condensing pressure	/
switches	
Oil level system AC&R	/
Sight Glass	/
Control panel	✓
m3 / h	182,9
Remarks	Y.o.b. 2008
Package / Rack	✓
Sizes	3200x1540x2220 mm
	(LxWxH)
Stock	1



Description

Used DWM D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1)

Used DWM D4DA5-200X-AWM/D (x2) & D4DH5-250X-AWM/D (x1) semihermetic reciprocating compressor rack on Freon. Complete with AC&R S-9109-CE oil reservoir, oil level regulators, pressure and safety switches, condensing pressure switch and a control cabinet with a Adap Kool Drive. The compressors have a total displacement of 182,9 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.

































Your partner for used commercial and industrial refrigeration equipment



























Your partner for used commercial and industrial refrigeration equipment

