

Bitzer 6H-35.2 (x2) & 6HE-28Y-40P (x1)

Specifications

Brand	Bitzer
Type	6H-35.2 (x2) & 6HE-28Y-40P (x1)
Refrigerant	Freon
kW at 0°C/+40°C	269,9
kW at -5°C/+40°C	224,1
kW at -10°C/+40°C	184,4
kW at -20°C/+40°C	120,2
kW at -30°C/+40°C	72,8
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	320
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m ³ / h	50 Hz - 332 m ³ /h / 60 Hz - 399,6 m ³ /h
Remarks	Y.o.b. 2016 - SN: 1690809264 Y.o.b. 2004 - SN: 1666705503



Package / Rack	✓
Sizes	2800x1700x1900 mm (LxWxH)
Stock	1

Description

Used Bitzer 6H-35.2 (x2) & 6HE-28Y-40P (x1)

Used Bitzer 6H-35.2Y-40P (x2) & 6HE-28Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F3102N liquid receiver with a volume of 320 liter, Henry S-5203-CE oil separator, Henry S-9108-C oil reservoir, liquid line filter driers and pressure and safety switches/gauges. The compressors have a total displacement of 332 m³/h at 50 Hz & 399,6 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.





