

Carrier 30HXC120-A0062-AEE--

Specifications

Carrier
30HXC120-A0062-AEE
Water Cooled Chiller
426,0
121,1
Freon
2472 kg
3150x1000x1850 mm
(LxWxH)
2x Carlyle
06NW2209S7NA-A00
Carrier Pro-Dialog Plus
Y.o.b. 2001
1



Description

Used Carrier 30HXC120-A0062-AEE--

Used Carrier 30HXC120-A0062-AEE-water-cooled chiller. Complete with 2 Carlyle 06NW2209S7NA-A00 screw compressors, shell & tube evaporator/exchanger, Carrier shell and tube condenser, liquid line filter driers and control cabinet with a Carrier Pro-Dialog Plus.

*All components of this used chiller will be tested on good working, leak free condition (condensing blocks, compressors, fans, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment



N° DE SERIE-SERIAL N -FABR Nr.	12P103052
ANNEE-YEAR-BAUJAHR-	2001
PRESSION MAX. FONCTION- COTE H.P-MAX. O ZULÄSSIGER BETRIEBSÜBERDRUCK - HOCHD	PERATING PRESS, HIGH SIDE
PRESSION MAX. FONCTION- COTE B.P-MAX. O ZULÄSSIGER BETRIEBSÜBERDRUCK - NEIDRE	PERATING PRESS- LOW SIDE 28,00 bar
FLUIDE - REFRIGERANT - KÄLTEMITTEL	R 134A
CHARGE CIRCUIT 1 FÜLLMENGE KREISLAUF 1 49,00	kg CHARGE CIRCUIT 2 52,00 kg
VOLTAGE 400 V 10 10	% PHASES 3 FREQUENCE CYCLES FREQUENZ ~ 50 Hz
L MAXIMALE MAXIMALER STROM	A POWER INPUT LEISTUNGSAUFNAHME 131,0 / kW
NET WEIGHT 2472 kg	DRUCKBEH. GRUPPE II,V
Carrier	MANUFACTURED IN FRANCE BY CARRIER s.a.
	01120-MONTLUEL-FRANCE












Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment









