

Frascold W75-240Y (x4)

Specifications

Brand	Frascold
Type	W75-240Y (x4)
Refrigerant	Freon
kW at -5°C/+40°C	614,3
kW at -10°C/+40°C	493,4
kW at -20°C/+40°C	304,8
kW at -30°C/+40°C	175,8
kW at -40°C/+40°C	92,7
kW at -45°C/+40°C	64,4
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	50 Hz - 956,1 m ³ /h / 60 Hz - 1147,3 m ³ /h
Package / Rack	✓
Sizes	3600x1150x1600 mm (LxWxH)
Stock	1



Description

Used Frascold W75-240Y (x4)

Used Frascold W75-240Y (x4) semi-hermetic reciprocating compressor rack on Freon. Complete with a Oilstar TOA-80 FS oil separator with a volume of 21 liters, Oilstar TOS-18 oil reservoir, liquid line filters drier, pressure and safety switches/gauges and sight glasses. The compressors have a displacement of 956,1 m³/h at 50 Hz & 1147,3 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.







