

Copeland ZS38K4E-TFD-265

Specifications

Brand	Copeland
Type	ZS38K4E-TFD-265
Refrigerant	Freon
kW at 0°C/+40°C	13,4
kW at -5°C/+40°C	11,3
kW at -10°C/+40°C	9,4
kW at -20°C/+40°C	6,5
kW at -30°C/+40°C	4,3
kW at -40°C/+40°C	2,7
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	12 L
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	50 Hz - 17,3 m ³ /h / 60 Hz - 14,4 m ³ /h
Condensing Unit	✓
Sizes	2060x700x750 mm (LxWxH)
Stock	2



Description

Used Copeland ZS38K4E-TFD-265

Used Copeland condensing unit on Freon. Complete with a Copeland ZS38K4E-TFD-265 scroll compressor, Apparatebau Hopfgarten ZHP 12 liquid receiver with a volume 12 liters, condenser with 3 fans - diameter 400 mm, pressure safety switches, liquid line filter drier, sight glass and control panel. The compressor has a 17,3 m³/h at 50 Hz and 14,4 m³/h at 60 Hz. *All components of this used evaporator will be tested on good working, leak-free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.





