

Sabroe TSMC 108 L

Specifications

| Brand | Sabroe |
|--------------------------|----------------------|
| Туре | TSMC 108 L |
| Refrigerant | NH 3 (ammonia) |
| kW at -30°C/+40°C | 108,6 |
| kW at -40°C/+40°C | 64,2 |
| Electromotor Specs | 50 Hz - 55 kW - 1460 |
| | RPM |
| Unloaded Start | ✓ |
| Capacity Control | ✓ |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Oil separator | ✓ |
| Sight Glass | ✓ |
| m3 / h | 413 m³/h |
| Sizes | 2050x1050x1300 mm |
| | (LxWxH) |
| Stock | 1 |
| | |



Description

Used Sabroe TSMC 108 L

Used Sabroe TSMC 108 L two-stage reciprocating compressor on NH3 (Ammonia). Complete with a Schorch KN5225M-BB014-051 electric motor - 50 Hz - 55 kW - 1460 RPM, Sabroe OVUR 2106 D oil separator, Sabroe OVUR 3206 D oil separator, pressure safety switches and a Unisab 2 controller.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.




















Your partner for used commercial and industrial refrigeration equipment

























info@hosbv.com