

HK Refrigeration H6 23 12/16P

Specifications

Brand	HK Refrigeration
Туре	H6 23 12/16P
Product type	Drycooler
kW	38,2*
Number of Fans	2
RPM of the Fans	390/270
Refrigerant	Glycol
Air Flow in m³/h	5.800
diameter fans Ø	630 mm
Surface (m2)	66,7
Tube volume	11,1 dm³
Sizes	3470x110x600 mm
	(LxWxH)
Remarks	*Capacity is based on a
	medium inlet
	temperature of 60°C and
	an outlet temperature of
	40°C
Stock	1



Description

Used HK Refrigeration H6 23 12/16P

New HK Refrigeration H6 23 12/16P drycooler. Complete with 2 Ziehl-Abegg FB063-NDK.4I.6S - 50 Hz - 0,19/0,09 kW - 390/270 RPM - diameter 630 mm and a total airflow of 5.800 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 38,2kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C. *All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment





