

DWM D2DB3-50X-AWM/D

Specifications

Brand	DWM
Туре	D2DB3-50X-AWM/D
Refrigerant	Freon
kW at -10ºC/+40ºC	16,1
kW at -20ºC/+40ºC	10,6
kW at -30ºC/+40ºC	6,5
kW at -40ºC/+40ºC	3,5
kW at -45ºC/+40ºC	2,4
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Suction accumulator	 Image: A start of the start of
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	28,0
Remarks	Y.o.b. 2003
Sizes	1320x1400x1250 mm
	(LxWxH)
Stock	1



Description

Used DWM D2DB3-50X-AWM/D

Used DWM D2DB3-50X-AWM/D semihermetic reciprocating compressor on Freon. Complete with a liquid receiver, oil separator, suction accumulator, pressure and safety switch and a control cabinet. The compressor has a displacement of 28 m³/h. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment







