

DWM D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1)

Specifications

Brand	DWM
Type	D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1)
Refrigerant	Freon
kW at -20°C/+40°C	81,2
kW at -30°C/+40°C	51,2
kW at -40°C/+40°C	29,6
kW at -45°C/+40°C	21,3
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Oil separator	✓
Oil level system AC&R	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	212,7
Remarks	Y.o.b. 2002
Sizes	2660x900x2050 mm (LxWxH)
Stock	1



Description

Used DWM D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1)

Used DWM D4DL4-150X-AWM/D (x2) & 4DL5-150X-AWM/D (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with oil separator, head fan and a oil level system AC&R. The compressors have a total displacement of 212,7 m³/h.

This rack is on the same frame with the <https://www.hosbv.com/product/17638/compressors/DWM-D4DJ4-300X-AWMD-x3.html> 17404

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an



Your partner for used commercial and
industrial refrigeration equipment

extensive test and an industrial
cleaning. If requested we are happy to
arrange your logistics.





