

DWM D6DH4-350X-AWM/D (x2) & D6DH5-350X-AWM/D (x1)

Specifications

Brand	DWM
Туре	D6DH4-350X-AWM/D
	(x2) & D6DH5-350X-
	AWM/D (x1)
Refrigerant	Freon
kW at 0ºC/+40ºC	265,7
kW at -5ºC/+40ºC	222,0
kW at -10ºC/+40ºC	184,0
kW at -20ºC/+40ºC	122,7
kW at -30ºC/+40ºC	77,2
On steel base frame	1
Pressure safety switches	1
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Sight Glass	1
m3 / h	318,9
Remarks	Y.o.b. 2002 & Y.o.b.
	2013
Package / Rack	1
Sizes	2550x850x2000 mm
	(LxWxH)
Stock	1



Description

Used DWM D6DH4-350X-AWM/D (x2) & D6DH5-350X-AWM/D (x1)

Used DWM D6DH4-350X-AWM/D (x2) & D6DH5-350X-AWM/D (x1) semihermetic reciprocating compressor rack on Freon. Complete with a Denaline RH8 oil separator with a volume of 8 liter & each compressor has his own oil level system AC&R. The compressors have a total displacement of 318,7 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment







DWM	COPELAND	
MODEL D6DH5-350X-AWM		
SERIAL NO 13B 30667		
MAX.OPER.PRESS. H/L 28/2	22,5 BAR TEST PRES. H/L 31/25 BAR	
🥥 🖂 3 50 HZ 1450	RPM V 106,3 M3/H SE M	0
HZ VOLTAGE	I-BLOCK(L.R.A.)	
50 380/420 YY/Y	275-304 A 63,5	
	268-292 A 63,5	
Mode in Czech Republic by Emerson Climate Technologies sit		6



Your partner for used commercial and industrial refrigeration equipment





