

# DWM D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2)

# **Specifications**

Brand	DWM
Туре	D3DC5-100X-AWM/D
	(x1) & D3DS5-150X-
	AWM/D (x2)
Refrigerant	Freon
kW at 0°C/+40°C	117,8
kW at -5°C/+40°C	98,4
kW at -10ºC/+40ºC	81,4
kW at -20ºC/+40ºC	39,5
kW at -30ºC/+40ºC	33,9
kW at -40°C/+40°C	19,1
On steel base frame	1
Pressure safety switches	· 🗸
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	137,8
Remarks	Y.o.b. 2002
Package / Rack	✓
Sizes	2450x1100x1250 mm
	(LxWxH)





### Your partner for used commercial and industrial refrigeration equipment

1 Stock

#### **Description**

#### Used DWM D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2)

Used DWM D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2) Semihermetic reciprocating compressor rack on Freon. Complete with a oil separator, oil reservoir, pressure and safety switches/gauges and each compressor with an oil level system AC&R. The compressors have a total displacement of 137,8 m<sup>3</sup>/h. \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



## Your partner for used commercial and industrial refrigeration equipment



























# Your partner for used commercial and industrial refrigeration equipment



