

# Sabroe CMO 28

## Specifications

Brand	Sabroe
Type	CMO 28
Refrigerant	Freon
kW at 0°C/+40°C	147,1
kW at -5°C/+40°C	118,3
kW at -10°C/+40°C	93,4
kW at -20°C/+40°C	55,4
kW at -30°C/+40°C	29,5
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Sight Glass	✓
Solenoid Valve	✓
m <sup>3</sup> / h	233 m <sup>3</sup> /h - 1800 RPM
Remarks	Y.o.b. 2005
Sizes	1650x730x940 mm (LxWxH)
Stock	1



## Description

### Used Sabroe CMO 28

Used Sabroe CMO 28 single-stage reciprocating compressor on Freon. Complete with Alconza-S.A. D 180L-4 electro motor: 30 kW -1455 RPM, pressure safety switches/gaugues and sight glass. The compressor has a displacement of 233 m<sup>3</sup>/h at 1800 RPM. \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.







