

Copeland ZF09K4E-TF5-551 Condensing Unit

Specifications

Brand	Copeland
Type	ZF09K4E-TF5-551 Condensing Unit
Refrigerant	Freon
kW at +10°C/+40°C	8,7 (+5°C/+40°C)
kW at 0°C/+40°C	7,4
kW at -5°C/+40°C	6,3
kW at -10°C/+40°C	5,2
kW at -20°C/+40°C	3,6
kW at -30°C/+40°C	2,4
kW at -40°C/+40°C	1,5
On steel base frame	✓
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	5,2 l
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m ³ / h	8,04 m ³ /h - 50 Hz / 9,70 m ³ /h - 60 Hz
Condensing Unit	✓
Sizes	800x600x670 mm (LxWxH)
Stock	1



Description

Used Copeland ZF09K4E-TF5-551 Condensing Unit

Used Copeland ZF09K4E-TF5-551 condensing unit on Freon. Complete with a condenser with Ebm-papst S4E350-AA06-18 - 50/60 Hz - 0,14/0,20 kW - 1329 /1550 RPM - diameter 350 mm, liquid receiver with a volume of 5,2 liters, liquid line filter drier, pressure and safety switch and a sight glass. The compressor has a displacement of 8,04 m³/h at 50 Hz & 9,70 m³/h at 60 Hz.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also,



Your partner for used commercial and
industrial refrigeration equipment

we can arrange your shipment.





