

Bitzer 4P-15.2Y (x3)

Specifications

Brand	Bitzer
Type	4P-15.2Y (x3)
Refrigerant	Freon
kW at 0°C/+40°C	117,7
kW at -5°C/+40°C	97,5
kW at -10°C/+40°C	80,8
kW at -20°C/+40°C	51,8
kW at -30°C/+40°C	31,1
kW at -40°C/+40°C	16,4
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	50 Hz - 141,4 m ³ /h / 60 Hz - 170,7 m ³ /h
Remarks	Y.o.b. 2003
Package / Rack	✓
Sizes	2200x1150x1900 mm (LxWxH)
Stock	1



Description

Used Bitzer 4P-15.2Y (x3)

Used Bitzer 4P-15.2Y (x3) semi-hermetic reciprocating compressor rack on Freon. Complete with an AC&R S-9109-CE oil separator, AC&R S-5412-CE oil reservoir, oil level regulator. The compressors have a total displacement of 141,4 m³/h at 50 Hz & 170,7 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





