

Bitzer 4J-22.2Y-40P

Specifications

Brand	Bitzer
Туре	4J-22.2Y-40P
Refrigerant	Freon
kW at 0ºC/+40ºC	51,5
kW at -5ºC/+40ºC	42,7
kW at -10ºC/+40ºC	35,1
kW at -20ºC/+40ºC	22,8
kW at -30ºC/+40ºC	13,7
kW at -40ºC/+40ºC	7,1
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	39 I
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	
Control panel	✓
m3 / h	50 Hz - 63,5 m³/h / 60 Hz
	- 76,7 m³/h
Remarks	Y.o.b. 2005
Condensing Unit	✓
Sizes	1470x800x1270 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4J-22.2Y-40P

Used Bitzer 4J-22.2Y-40P semi-hermetic reciprocating compressor unit on Freon. Complete with a Bitzer F402H liquid receiver with a volume 39 liters, oil separator, liquid line filter drier, sight glass and control panel. The compressor has a displacement of 63,5 m³/h at 50 Hz & 76,7 m³/h at 60 Hz. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



































