

Bitzer 6F-40.2Y-40P

Specifications

Brand	Bitzer
Туре	6F-40.2Y-40P
Refrigerant	Freon
kW at -5ºC/+40ºC	100,9
kW at -10°C/+40°C	83,1
kW at -20°C/+40°C	54,3
kW at -30°C/+40°C	33,0
kW at -40°C/+40°C	17,6
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Suction accumulator	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	50 Hz - 151,6 m³/h / 60
	Hz - 183 m³/h
Remarks	Y.o.b. 2008
Sizes	2250x1530x2800 mm
	(LxWxH)
Stock	1



Description

the logistics.

Used Bitzer 6F-40.2Y-40P

Used Bitzer 6F-40.2Y-40P semihermetic reciprocating compressor on Freon. Complete with a Frigo-Mec FSR 140+3SGR5+SV(R7/R7) liquid receiver with a volume of 140 liter, suction accumulator, oil separator, pressure and safety switch and a liquid line filter drier. The compressor has a displacement of 151,6 m³/h at 60 Hz & 183 m³/h at 60 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange



















Your partner for used commercial and industrial refrigeration equipment











Your partner for used commercial and industrial refrigeration equipment



