

Bitzer 6H-25.2 Y

Specifications

Brand	Bitzer
Туре	6H-25.2 Y
Refrigerant	Freon
kW at -5ºC/+40ºC	74,7
kW at - 10° C/+ 40° C	61,6
kW at -20°C/+40°C	40,4
kW at -30°C/+40°C	24,7
kW at -40°C/+40°C	13,4
kW at -45ºC/+40ºC	9,1
Pressure safety switches	/
Hp/Lp/Op	
Sight Glass	/
Sight Glass m3 / h	110,5
m3 / h	110,5
m3 / h Remarks	110,5 Y.o.b. 2000
m3 / h Remarks Weight in kg.	110,5 Y.o.b. 2000 224



Description

Used Bitzer 6H-25.2 Y

Used Bitzer 6H-25.2 Y semi-hermetic reciprocating compressor on Freon. Complete with a pressure safety switch and a sight glass. The compressor has a displacement of 110,5 m³/h at 50 Hz and 133,3 m³/h at 60 Hz. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment



