

Bitzer 6H.2 (x2) Condensing unit

Specifications

Brand	Bitzer
Type	6H.2 (x2) Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	180
kW at -5°C/+40°C	149,8
kW at -10°C/+40°C	123,6
kW at -20°C/+40°C	81,4
kW at -30°C/+40°C	50,2
kW at -40°C/+40°C	27,7
Electromotor Specs	18,5
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Control panel	✓
Remarks	Electromotor: 18,5 kW at 1465 RPM
Remarks	R404a - R22 or other freon types
Package / Rack	✓
Condensing Unit	✓



Sizes	3050x1000x1950 mm (LxWxH)
Stock	1

Description

Used Bitzer 6H.2 (x2) Condensing unit

Used Bitzer 6H.2 (x2) freon condensing unit, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, liquid receiver, oil separator and control panel. This unit has a cooling capacity of 180 kW at 0°C/+40°C.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.

